



SUTTER COUNTY ENVIRONMENTAL HEALTH DIVISION
 DEVELOPMENT SERVICES DEPARTMENT
 1130 Civic Center Boulevard, Suite A
 Yuba City, CA 95993
 Ph# (530) 822-7400 Fax# (530) 822-7220

Date 4/10/14

Page 1 of 3

RETAIL FOOD FACILITY INSPECTION REPORT

DBA: FOOD MAXX Permit Holder: SAVEMART SUPERMARKETS
 Address: 1232 Colusa Ave City: Yuba City, CA Zip: 95991 Phone: 671-4612
 Computer #: 2097

Initial Routine Re-inspection Complaint Complaint Re-inspection Consultation Construction Change of Ownership

Unmarked Items = In Compliance, Not observed, or Not Applicable
 COS = Corrected on Site MAJ = Major Violation MIN = Minor Violation (see reverse side for California code section)

Major violations pose a threat to public health and must be corrected immediately. Non-compliance may warrant closure of the food facility.

RISK FACTOR INTERVENTIONS			
DEMONSTRATION OF KNOWLEDGE	COS	MAJ	MIN
1. Demonstration of knowledge; food safety certification			
Food Safety Cert Name: _____ Exp. Date: _____			
EMPLOYEE HEALTH & HYGIENIC PRACTICES			
2. Communicable disease; reporting, restrictions & exclusion			
3. No discharge from eyes, nose, or mouth; no open wounds			
4. Proper eating, tasting, drinking or tobacco use			
PREVENTING CONTAMINATION BY HANDS			
5. Hands clean and properly washed; gloves used properly			
6. Adequate handwashing facilities supplied & accessible			
TIME AND TEMPERATURE RELATIONSHIPS			
7. Proper hot and cold holding temperatures			
8. Time as a public health control; procedures & records			
9. Proper cooling methods			
10. Proper cooking time & temperatures			
11. Proper reheating procedures for hot holding			
PROTECTION FROM CONTAMINATION			
12. Returned and reservice of food			
13. Food in good condition: safe and unadulterated			
14a. Food contact surfaces: clean and sanitized			
14b. Proper warewashing and sanitizing procedures			
Sanitizer Type: <input type="checkbox"/> Chlorine <input type="checkbox"/> Quaternary Ammonia <input type="checkbox"/> Hot Water <input type="checkbox"/> Other Sanitizer Concentration (ppm): _____			
FOOD FROM APPROVED SOURCES			
15. Food obtained from approved source			
16. Compliance with shellstock tags, condition, display			
17. Compliance with Gulf oyster regulations			
CONFORMANCE WITH APPROVED PROCEDURES			
18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
CONSUMER ADVISORY			
19. Raw, undercooked, and confectionary containing alcohol foods			
HIGHLY SUSCEPTIBLE POPULATIONS			
20. Licensed health care facilities/public & private schools; prohibited foods not offered			
WATER/HOT WATER			
Ware Sink Temp _____ °F Hand Sink Temp _____ °F			
LIQUID WASTE DISPOSAL			
22. Sewage and wastewater properly disposed			
VERMIN			
23. No rodents, insects, birds, or animals			

APPROVED RETAIL PRACTICES	
SUPERVISION	MIN
24. Person in charge present and performs duties	
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	
27. Food separated and protected	
28. Washing fruits and vegetables	
29. Toxic substances properly identified, stored, used	
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	
31. Consumer self-service	
32. Food properly labeled & honestly presented	
EQUIPMENT/UTENSILS/LINENS	
33. Nonfood contact surfaces clean	
34. Warewashing facilities: installed, maintained, used; test strips	
35. Equipment/Utensils approved; installed; clean; good repair, capacity	
36. Equipment, utensils and linens: storage and use	
37. Vending machines	
38. Adequate ventilation and lighting; designated areas, use	
39. Thermometers provided and accurate	
40. Wiping cloths: properly used and stored	
Sanitizer Type: <input type="checkbox"/> Chlorine <input type="checkbox"/> Quaternary Ammonia Sanitizer Concentration (ppm): _____	
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	
42. Garbage and refuse properly disposed; facilities maintained	
43. Toilet facilities: properly constructed, supplied, cleaned	
44a. Premises kept free of debris and unnecessary equipment	
44b. Appropriate use of equipment	
44c. Janitorial area, provided maintained, and kept clean	
44d. Employee personal items stored in approved location	
44e. Facility is equipped to prevent vermin entrance/harborage	X
PERMANENT FOOD FACILITIES	
45. Floor walls and ceilings: built, maintained, and clean	X
46. No unapproved private homes/living or sleeping quarters	
SIGNS/REQUIREMENTS	
47. Signs posted; last inspection report available	
COMPLIANCE & ENFORCEMENT	
48. Plan Review	
49. Permits Available <u>11/20/14</u>	
50. Impoundment	
51. Permit Suspension	
52. Other	
NON-PERMANENT FOOD FACILITIES	
53. Mobile Food Facilities	
54. Temporary Food Facilities	



SUTTER COUNTY ENVIRONMENTAL HEALTH DIVISION
 DEVELOPMENT SERVICES DEPARTMENT
 1130 Civic Center Boulevard, Suite A
 Yuba City, CA 95993
 Ph# (530) 822-7400 Fax# (530) 822-7220

Date 4/10/14
 Page 2 of 3

RETAIL FOOD FACILITY INSPECTION REPORT

DBA: FOOD MAXX Permit Holder: _____
 Address: 1232 Colusa Ave City: Yuba City, CA Zip: 95991 Phone: 671-4612

ITEM/LOCATION	TEMP	ITEM/LOCATION	TEMP

OBSERVATIONS AND CORRECTIVE ACTIONS
THIS DEPT RECEIVED A COMPLAINT WHICH ALLEGED THAT ROBENT ^{ROBENT} ROBENTS WERE SEEN THROUGHOUT FACILITY.
44E PIPES, METAL BOX PLATES HAVE OPENING THAT COULD ALLOW FOR ROBENT HARBORAGE. SEAL UP PIPING & METAL BOXES BEHIND CHIP DISPLAY ON SOUTHWALL.
44E 45 BREAK ROOM DOOR ENTRY IN DISREPAIR. REPAIR BREAK ROOM ENTRY.
44E. 45. SOUTHWEST CORNER OF OUTSIDE OF MEAT WALK-IN COOLER HAS HUGE HOLE. REPAIR HOLE W/ APPROVED MATERIAL.

Owner/Operator: [Signature] Title: Manager

REHS: [Signature]



SUTTER COUNTY ENVIRONMENTAL HEALTH DIVISION
 DEVELOPMENT SERVICES DEPARTMENT
 1130 Civic Center Boulevard, Suite A
 Yuba City, CA 95993
 Ph# (530) 822-7400 Fax# (530) 822-7220

Date 4/10/14
 Page 3 of 3

RETAIL FOOD FACILITY INSPECTION REPORT

DBA: FOOD MAXX Permit Holder: _____

Address: 1232 COLUSA AVE City: Yuba city, CA Zip: 95991 Phone: 671-4612

ITEM/LOCATION	TEMP	ITEM/LOCATION	TEMP

OBSERVATIONS AND CORRECTIVE ACTIONS

44E. 45. WALL UNDER PRODUCE HANDSINK IN GRAVE DISREPAIR
 & COMING APART. PROVIDE CONTINUOUSLY COVERED
 FLOORING WHICH GOES UP WALL A MINIMUM OF 4"
 w/ A 3/8" RADIUS MINIMUM COVER.

44E. 45. WALL BEHIND MEAT DISPLAY AT THE NW CORNER
 DETEIORATED & HAS LARGE HOLES. REPAIR.

44E 45. WALL AT NORTHWEST CORNER OF STORE NEXT TO
 LABELING DEST NEXT TO PLASTIC BLACK DOORS
 HAS LARGE HOLES. ^{TC 4/10/14} ~~REPAIR~~ REPAIR HOLE w/
 APPROVED MATERIAL.

NOTE: STERITECH PEST CONTROL HAS BEEN COMING OUT
 ON REGULAR BASIS 2-3 TIME A WEEK
 REINSPECTED SHALL OCCUR AFTER 30 DAYS.

Owner/Operator: [Signature] Title: Manager

REHS: [Signature]