



## Schedule of Inspection, Testing Agencies, and Inspectors

The following are the testing agencies and special inspectors that will be retained to conduct tests and inspection on this project.

Responsibility	Firm	Address, Telephone, e-mail
1.Special Inspection (except for geotechnical)		
2. Material Testing		
3.Geotechnical Inspections		
4.		

### Seismic Requirements (Section 1704.3.2)

Description of seismic-force-resisting system and designated seismic systems subject to special inspections as per Sections 1704.5, 1705.11 or 1705.12:

The extent of the seismic-force-resisting system is defined in more detail in the construction documents.

### Wind Requirements (Section 1704.3.3)

Description of main wind-force-resisting system and designated wind resisting components subject to special inspections in accordance with Section 1704.5.2:

The extent of the main wind-force-resisting system and wind resisting components is defined in more detail in the construction documents.

# Schedule of Special Inspection

## Notation Used in Table:

### Column headers:

- C Indicates continuous inspection is required.
- P Indicates periodic inspections are required. The notes and or contract documents should clarify.

### Box entries:

- X Is placed in the appropriate column to denote either "C" continuous or "P" periodic inspections.
- Denotes an activity that is either a one-time activity or one whose frequency is defined in some other manner.

Additional detail regarding inspections and tests are provided in the project specifications or notes on the drawings.

<b>Verification and Inspection</b>	<b>C</b>	<b>P</b>	<b>Notes</b>
<b>1704.2.5</b> - Inspect fabricator's fabrication and quality control procedures.			
<b>1704.5.1</b> - Structural observations for seismic resistance.			
<b>1704.5.2</b> - Structural observations for wind requirements.			
<b>1705.2.1</b> - Structural steel shall be in accordance with quality assurance inspection requirements of AISC 360.			
<b>Table 1705.2.2 - Non-structural steel:</b>			
1. Material verification of cold-formed steel deck:			
a. Identification markings to conform to ASTM standards specified in the approved construction documents.			
b. Manufacturer's certified test reports.			
2. Inspection of welding:			
a. Cold-formed steel deck:			
1) Floor and roof deck welds.			
b. Reinforcing steel			
1) Verification of weld ability of reinforcing steel other than ASTM A706.			
2) Reinforcing steel-resisting flexural and axial forces in intermediate and special moment frames, and boundary elements of special reinforced concrete shear walls, and shear reinforcement.			
3) Shear reinforcement.			
4) Other reinforcing steel.			

<b>Verification and Inspection</b>	<b>C</b>	<b>P</b>	<b>Notes</b>
<b>1705.11.3</b> - Welded studs when used for structural diaphragms.			
<b>1705.2.2.1.1</b> - Welding of cold-formed sheet steel framing members.			
<b>Table 1705.3 – Concrete:</b>			
1. Inspection of reinforcing steel, including pre-stressing tendons and placement.			
2. Inspection of reinforcing steel welding in accordance with Table 1705.2.2 Item 2b.			
3. Inspection of anchors cast in concrete where allowable loads have been increased or where strength design method is used.			
4. Inspection of anchors post-installed in hardened concrete members.			
5. Verifying use of required design mix.			
6. At time fresh concrete is sampled to fabricate specimens for strength tests, perform slump and air content tests and determine the temperature of the concrete.			
7. Inspection of concrete and shot-crete placement for proper application techniques.			
8. Inspection for maintenance of specified curing temperature and techniques.			
9. Inspection of pre-stressed concrete.			
a. Application of pre-stressing forces			
b. Grouting of bonded pre-stressing tendons in the seismic force-resisting system.			
10. Erection of precast concrete members.			
11. Verification of in-situ concrete strength, prior to stressing of tendons in post-tensioned concrete and prior to removal of shores and forms from beams and structural slabs.			
12. Inspect formwork for shape, location, and dimensions of the concrete member being formed.			
<b>1705.4</b> - Masonry Construction shall be inspected and verified in accordance with TMS 402/ACI 530/ASCE 5 and TMS 602/ACI 530.1/ASCE 6 quality assurance program requirements. (See exceptions)			
<b>1705.4.1</b> - Empirically designed masonry, glass unit masonry and masonry veneer in Risk Category IV.			

Verification and Inspection	C	P	Notes
1705.5 – Wood construction: Fabrication elements of prefabricated wood structural elements and assemblies in accordance with Section 1704.2.5.			
1705.5.1 - Inspection of high-load diaphragms and site-built assemblies in accordance with Section 2306.2:			
1. Verify grade and thickness of sheathing			
2. Verify nominal size of framing members at adjoining panel edges.			
3. Verify: a. Nail or staple diameter and length, b. Number of fastener lines, c. Spacing between fasteners in each line and at edge margins.			
1705.5.2 - Restraint/bracing of metal-plate-connected wood trusses spanning 60 feet or greater.			
<b>Table 1705.6</b> - Inspection of soils:			
1. Verify materials below shallow foundations are adequate to achieve the desired bearing capacity.			
2. Verify excavations are extended to proper depth and have reached proper material.			
3. Perform classification and testing of compacted fill materials.			
4. Verify use of proper materials, densities and lift thicknesses during placement and compaction of compacted fill.			
5. Prior to placement of compacted fill, observe subgrade and verify that site has been prepared properly.			
<b>Table 1705.7</b> - Driven deep foundations:			
1. Verify element materials, sizes and lengths comply with the requirements.			
2. Determine capacities of test elements and conduct additional load tests, as required.			
3. Observe driving operations and maintain complete and accurate records for each element.			
4. Verify placement locations and plumbness. a. Confirm type and size of hammer. b. Record number of blows per foot of penetration. c. Determine required penetrations to achieve design capacity. d. Record tip and butt elevations and record any damage to foundation element.			
5. For steel elements, perform additional inspections in accordance with Section 1705.2.			

Verification and Inspection	C	P	Notes
6. For concrete elements and concrete-filled elements, perform additional inspections in accordance with Section 1705.3			
7. For specialty elements, perform additional inspections as determined by the registered design professional in responsible charge.			
<b>Table 1705.8</b> - CIP deep foundation elements:			
1. Observe drilling operations and maintain complete and accurate records for each element.			
2. Verify placement locations and their plumbness. Confirm: a. Element diameters, b. Bell diameters (if applicable), c. Lengths, embedment into bedrock (if applicable), d. Adequate end-bearing strata capacity. e. Record concrete or grout volumes.			
3. For concrete elements, perform additional inspections in accordance with Section 1705.3.			
<b>1705.9</b> - Helical pile foundations.			
<b>1705.10</b> Special inspections for wind resistance. Structural wood and cold-formed steel light-framed construction:			
1. Roof cladding and roof framing connections.			
2. Wall connections to roof and floor diaphragms and framing.			
3. Roof and floor diaphragm systems, including collectors, drag struts and boundary elements			
4. Vertical wind-force-resisting systems, including braced frames, moment frames, and shear walls.			
5. Wind-force-resisting system connections to the foundation.			
6. Fabrication and installation of systems or components required to meet the impact resistance requirements of Section 1609.1.2.			
<b>1705.11</b> - Special inspections for wind resistance as itemized in Sections 1705.11.1 1705.11.8. (See exceptions)			
<b>1705.11.4</b> - Designated seismic systems.			
<b>1705.11.5</b> – Architectural components and access floors.			
<b>1705.11.6</b> – Mechanical and electrical components: Installation and anchorage.			

Verification and Inspection	C	P	Notes
1. Inspect anchorage of electrical equipment for emergency or stand-by power systems.			
2. Inspect anchorage of non-emergency electrical equipment.			
3. Inspect installation of piping systems and associated mechanical units carrying flammable, combustible, or highly toxic contents.			
4. Inspect installation of HVAC ductwork that contains hazardous materials.			
5. Inspect installation of vibration isolation systems where required by Section 1707.8.			
<b>1705.13</b> - Sprayed Fire-Resistant Materials in accordance with Sections 1705.13.1 through 1705.13.6.			
1. Inspect surface for accordance with the approved fire-resistance design and the approved manufacturer's written instructions.			
2. Verify minimum ambient temperature before and after application.			
3. Verify ventilation of area during and after application.			
4. Measure average thickness per ASTM E605 and Sections 1705.13.2. & 1705.13.4.9.			
5. Verify density of material for conformance with the approved fire-resistant design and ASTM E605.			
6. Test cohesive/adhesive bond strength per Section 1705.13.6.			
<b>1705.14</b> - Mastic and Intumescent Fire-Resistant Coating in accordance with AWCI 12-B.			
<b>1705.15</b> - Exterior Insulation and Finish Systems (EIFS).			
<b>1705.16</b> - Fire-resistant penetrations and joints in high-rise buildings or buildings assigned to Risk Category III or IV.			
<b>1705.17</b> - Smoke control systems.			
<b>1706</b> – Design strength of materials:			
<b>1707</b> - Alternate materials and systems			
<b>1708/1709/1710</b> – Test Safe Load/In Situ/Preconstruction Load Tests			